

Concurrency 3 = CCS (1/4)

CCS : syntax and transitions, coinduction

Pierre-Louis Curien (CNRS – Université Paris 7)

MPRI concurrency course 2004/2005 with :

Jean-Jacques Lévy (INRIA-Rocquencourt)

Eric Goubault (CEA)

James Leifer (INRIA - Rocq)

Catuscia Palamidessi (INRIA - Futurs)

(<http://pauillac.inria.fr/~leifer/teaching/mpri-concurrency-2004>)

1

From automata to CCS (2/6)

A LTS is given by

- a finite set of **states**, or P, Q, \dots ,
- a finite alphabet Act whose members are called **actions**, and
- **transitions** between them, written $P \xrightarrow{\mu} Q$.

3

From automata to CCS (1/6)

Remove **final** (not interested in termination), and **initial** states (assimilate **processes** with **states**, hence any state is “initial” relative to the process it is identified with).

Such an automaton deprived from initial and final states is called a **labelled transition system**, or **LTS** for short.

2

From automata to CCS (3/6)

A LTS together with one of its states, that is, a **process**, can be described by the following syntax :

$$P ::= \Sigma_{i \in I} \mu_i \cdot P_i \mid \text{let } \vec{K} = \vec{P} \text{ in } K_j \mid K$$

(empty sum denoted by 0)

4

From automata to CCS (4/6)

$$\text{CCS} \quad P ::= \Sigma_{i \in I} \mu_i \cdot P_i \mid \text{let } \vec{K} = \vec{P} \text{ in } K_j \mid K \mid (P \mid Q) \mid (\nu a)P$$

$$\text{Synchronization Trees} \quad P ::= \Sigma_{i \in I} \mu_i \cdot P_i$$

$$\text{Finitary CCS} \quad P ::= \Sigma_{i \in I} \mu_i \cdot P_i \mid (P \mid Q) \mid (\nu a)P \quad (I \text{ finite})$$

5

From automata to CCS (5/6)

in CCS

$$\text{Act} = L \cup \bar{L} \cup \{\tau\}$$

(disjoint union), where L is the set of **labels**, also called **names**, or **channels**, and τ is a silent action that records a synchronisation. $\mu \in \text{Act}$, $\alpha \in L \cup \bar{L}$, $\bar{\bar{\alpha}} = \alpha$

6

From automata to CCS (6/6)

We write

$$\Sigma_{i \in I} a_i \cdot P_i = (\Sigma_{i \in I \setminus i_0} a_i \cdot P_i) + a_{i_0} \cdot P_{i_0}$$

(note that the notation implicitly views sums as associative and commutative – this will be made explicit later)

7

Labelled operational semantics (1/4)

$$\frac{}{\Sigma_{i \in I} \mu_i \cdot P_i \xrightarrow{\mu_i} P_i} \quad \frac{P \xrightarrow{\mu} P' \quad (\mu \neq a, \bar{a})}{(\nu a)P \xrightarrow{\mu} (\nu a)P'} \quad \frac{P \xrightarrow{\mu} P' \quad Q \xrightarrow{\mu} Q' \quad P \xrightarrow{\alpha} P' \quad Q \xrightarrow{\bar{\alpha}} Q'}{P \mid Q \xrightarrow{\mu} P' \mid Q \quad P \mid Q \xrightarrow{\mu} P \mid Q' \quad P \mid Q \xrightarrow{\tau} P' \mid Q'} \quad \frac{P_j[\vec{K} \leftarrow (\text{let } \vec{K} = \vec{P} \text{ in } \vec{K})] \xrightarrow{\mu} P'}{\text{let } \vec{K} = \vec{P} \text{ in } K_j \xrightarrow{\mu} P'}$$

8

Labelled operational semantics (2/4)

τ -transitions (resp. α -transitions) correspond to **internal** evolutions (resp. interactions with the **environment**).

Rule **COMM** involves **both**.

In **λ -calculus**, one considers only one (internal) reduction : β .

9

Labelled operational semantics (3/4)

Example :

$$P = (\nu c)(K_1 \mid K_2) \text{ where } \begin{cases} K_1 = a \cdot \bar{c} \cdot K_1 \\ K_2 = b \cdot c \cdot K_2 \end{cases}$$

Behaviour : do a and b independently, then τ , then loop.

10

Labelled operational semantics (4/4)

It is possible to formulate internal reduction in CCS **without reference to the environment**.

Price to pay : work modulo **structural equivalence**.

11

Structural equivalence

$$\Sigma_{i \in I} \mu_i \cdot P_i \equiv \Sigma_{i \in I} \mu_{f(i)} \cdot P_{f(i)} \quad (f \text{ permutation})$$

$$P \mid Q \equiv Q \mid P$$

$$P \mid (Q \mid R) \equiv (P \mid Q) \mid R$$

$$((\nu a)P) \mid Q \equiv (\nu a) (P \mid Q) \quad (a \text{ not free in } Q)$$

$$\text{let } \vec{K} = \vec{P} \text{ in } K_j \equiv P_j[\vec{K} \leftarrow (\text{let } \vec{K} = \vec{P} \text{ in } \vec{K})]$$

12

Reduction operational semantics (1/2)

$$\begin{array}{c}
 \frac{}{P_1 + a \cdot P \mid \bar{a} \cdot Q + Q_1 \rightarrow P \mid Q} \quad \frac{}{P_1 + \tau \cdot P \rightarrow P} \\
 \frac{P_1 \rightarrow P'_1}{P_1 \mid P_2 \rightarrow P'_1 \mid P_2} \quad \frac{P \rightarrow P'}{(\nu a)P \rightarrow (\nu a)P'} \\
 \frac{P_1 \equiv P_2 \rightarrow P'_2 \equiv P'_1}{P_1 \rightarrow P'_1}
 \end{array}$$

13

Reduction operational semantics (2/2)

The relations \rightarrow and $\xrightarrow{\tau} \equiv$ coincide.

Exercise 1 Prove it, via the following claims :

- If $P \xrightarrow{\mu} P'$ and $P \equiv Q$, then there exists Q' such that $Q \xrightarrow{\mu} Q'$ and $P' \equiv Q'$.
- If $P \xrightarrow{\alpha} P'$, then $P \equiv (\nu \vec{a}) (\alpha \cdot Q + P_1 \mid P_2)$ and $P' \equiv (\nu \vec{a}) (P_1 \mid P_2)$, for some \vec{a}, P_1, P_2, Q .

14

Semaphore in CCS

$$\text{Sem} = P \cdot V \cdot \text{Sem}$$

$$\begin{aligned}
 &\text{Sem} \mid (\bar{P} \cdot C_0; \bar{V}) \mid (\bar{P} \cdot C_1; \bar{V}) \\
 &\rightarrow (V \cdot \text{Sem}) \mid (\bar{P} \cdot C_0; \bar{V}) \mid (C_1; \bar{V}) \\
 &\rightarrow^* (V \cdot \text{Sem}) \mid (\bar{P} \cdot C_0; \bar{V}) \mid \bar{V} \\
 &\rightarrow \text{Sem} \mid (\bar{P} \cdot C_0; \bar{V})
 \end{aligned}$$

Exercise 2 Encode $P; Q$ in CCS.

15

Value passing

$$P_1 + a(x) \cdot P \mid \bar{a}(v) \cdot Q + Q_1 \rightarrow P[x \leftarrow v] \mid Q$$

A memory cell :

$$\text{Reg}\langle x \rangle = \overline{\text{Get}}\langle x \rangle \cdot \text{Reg}\langle x \rangle + \text{Put}\langle y \rangle \cdot \text{Reg}\langle y \rangle$$

$$\text{One-shot} : \begin{cases} \text{Sem}\langle x \rangle = \overline{\text{Get}}\langle x \rangle \cdot K + K \\ K = \text{Put}\langle y \rangle \cdot \text{Sem}\langle y \rangle \end{cases}$$

(cf. Concurrency 2)

16

Bisimulation on a LTS (1/4)

A **simulation** is a relation \mathcal{R} such that for all P, Q , if $P \mathcal{R} Q$ then

$$\forall \mu, P' \ (P \xrightarrow{\mu} P' \Rightarrow \exists Q' \ Q \xrightarrow{\mu} Q' \text{ and } P' \mathcal{R} Q')$$

17

Bisimulation on a LTS (2/4)

A **bisimulation** is a relation \mathcal{R} such that \mathcal{R} and \mathcal{R}^{-1} are simulations.

P, Q are **bisimilar** (notation $P \sim Q$) if there exists a bisimulation \mathcal{R} such that $P \mathcal{R} Q$.

$$(\mathcal{R}^{-1} = \{(Q, P) \mid P \mathcal{R} Q\})$$

18

Bisimulation on a LTS (3/4)

If \mathcal{R}, \mathcal{S} are bisimulations, then so is their **composition**

$$\mathcal{R}\mathcal{S} = \{(P, R) \mid \exists Q \ P \mathcal{R} Q \text{ and } Q \mathcal{S} R\}$$

In particular, $\sim \subseteq \sim$, i.e., bisimilarity is **transitive**.

19

Bisimulation on a LTS (4/4)

Two processes that simulate one another, yet are not bisimilar :

$$\begin{aligned} P_1 &= a \cdot P_2 + a \cdot P_4 & Q_1 &= a \cdot Q_2 \\ P_2 &= b \cdot P_3 & Q_2 &= b \cdot Q_3 \end{aligned}$$

$$\begin{aligned} P_1 \mathcal{T} Q_1 & \quad P_4 \mathcal{T} Q_2 & P_2 \mathcal{T} Q_2 & \quad P_3 \mathcal{T} Q_3 \\ Q_1 \mathcal{S} P_1 & \quad Q_2 \mathcal{S} P_2 & Q_3 \mathcal{S} P_3 & . \end{aligned}$$

but for all simulation \mathcal{R} containing (P_1, Q_1) we have :

$$P_1 \mathcal{R} Q_1 \text{ and } P_1 \xrightarrow{a} P_4 \Rightarrow P_4 \mathcal{R} Q_2$$

20

Induction and coinduction (1/4)

A function $f : D \rightarrow E$, where D, E are partial orders, is **monotonous** if

$$\forall x, y \quad x \leq y \Rightarrow f(x) \leq f(y)$$

Given (monotonous) $f : D \rightarrow D$, a **prefixpoint** (resp. a **postfixpoint**, a **fixpoint**) of f is a point x such that $f(x) \leq x$ (resp. $x \leq f(x)$, $x = f(x)$).

21

Induction and coinduction (2/4)

Any **monotonous** function $G : \mathcal{P}(X) \rightarrow \mathcal{P}(X)$ has a **least** prefixpoint, which is moreover a **fixpoint**, and a **greatest** postfixpoint, which is moreover a **fixpoint**. They are respectively :

$$\text{lfp}(G) = \bigcap \{X \mid G(X) \subseteq X\}$$

$$\text{gfp}(G) = \bigcup \{X \mid X \subseteq G(X)\}$$

22

Induction and coinduction (3/4)

Induction principle : To show $\text{lfp}(\mu) \subseteq R$ is enough to show $\mu(R) \subseteq R$.

In practice, the induction principle is often used for a subset of $\text{lfp}(\mu)$, and then serves to show that $R = \text{lfp}(\mu)$.

23

Induction and coinduction (4/4)

Coinduction principle : To show $R \subseteq \text{gfp}(\mu)$ it is enough to show $R \subseteq \mu(R)$.

In practice, the principle of coinduction is used to show that some element x is in $\text{gfp}(\mu)$, and for this it is enough to find a postfixpoint R such that $x \in R$.

24

Operators defined by rules (1/4)

Monotonous operators G_K on $\mathcal{P}(X)$ defined via a set K of rules, each of the form (Y, x) , with $Y \subseteq X$ and $x \in X$, or, graphically (for $Y = \{x_1, \dots, x_n\}$ finite) :

$$\frac{\{x_1, \dots, x_n\}}{x}$$

Set $G_K(R) = \{x \in X \mid \exists (Y, x) \in K \ Y \subseteq R\}$.

25

Operators defined by rules (2/4)

Prefixpoints of $G_K =$

subsets R closed forwards by the rules :

$$\forall (Y, x) \in K \ (Y \subseteq R \Rightarrow x \in R)$$

Postfixpoints of $G_K =$

subsets R closed backwards by the rules :

$$\forall x \in R \ \exists (Y, x) \in K \ Y \subseteq R$$

26

Operators defined by rules (3/4)

Bisimulation is defined by a set of rules : take K to be the set of all

$$\frac{\{(P', f(\mu, P')) \mid P \xrightarrow{\mu} P'\} \cup \{(g(\mu, Q'), Q') \mid Q \xrightarrow{\mu} Q'\}}{(P, Q)}$$

where f is any function mapping each pair μ, P' such that $P \xrightarrow{\mu} P'$ to a process $f(\mu, P')$ such that $Q \xrightarrow{\mu} f(\mu, P')$ (resp. $g \dots$).

27

Operators defined by rules (4/4)

What do we gain by knowing that \sim , first defined as the union of all bisimulations, is actually the largest fixpoint of some operator ?

First, that \sim itself is a bisimulation, second that it is a prefixpoint, not only a post-fixpoint.

28

Continuity (1/3)

$G : \mathcal{P}(X) \rightarrow \mathcal{P}(X)$ is **continuous** if it preserves \bigcup of increasing chains, i.e. $G(\bigcup_{n \in \omega} X_n) = \bigcup_{n \in \omega} G(X_n)$. G is called **anti-continuous** if it preserves \bigcap of decreasing chains.

$$\begin{aligned} G \text{ continuous} &\Rightarrow \text{lfp}(G) = \bigcup_{n \in \omega} G^n(\emptyset) \\ G \text{ anti-continuous} &\Rightarrow \text{gfp}(G) = \bigcap_{n \in \omega} G^n(X) \end{aligned}$$

29

Continuity (2/3)

If **all the Y 's in the rules of K are finite**, then G_K is continuous.

If, **for all x , $\{(Y \mid (Y, x) \in K)\}$ is finite**, then G_K is anti-continuous.

In finitary CCS the bisimulation operator G_K is both continuous and anti-continuous.

NB : finite sum assumption is not enough : take *let* $K = (a \cdot 0 \mid K)$ in K .

30

Continuity (3/3)

Consider the following K :

$$\frac{}{\text{nil}} \quad \frac{l}{\text{cons}(a, l)}$$

The **lfp** of G_K is the set of **lists**. The **gfp** of G_K is the set of **finite and infinite** lists.

Exercise 3 How to obtain infinite lists ?

31